This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

Number	2078	709/217.ccls.	USPAT;	2003/09/04
-		· · · · · · · · · · · · · · · · · · ·		
-	1		US-PGPUB;	09:48
-			EPO; JPO;	
-			DERWENT;	
-		İ	IBM_TDB	
	1	data adj (repository or base) near index\$	USPAT;	2003/09/04
1		near (metadata or meta-data or meta adj	US-PGPUB;	09:14
		data) and @pd<20010101	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2222422424
-	776	709/202.ccls.	USPAT;	2003/09/04
			US-PGPUB; EPO; JPO;	09:15
			DERWENT;	,
			IBM TDB	
	3580	709/203.ccls.	USPAT;	2003/09/04
_	3360	709/203.0015.	US-PGPUB;	09:15
			EPO; JPO;	03.13
			DERWENT;	
			IBM TDB	
_	1137	709/218.ccls.	USPĀT;	2003/09/04
	1101		US-PGPUB;	09:15
			EPO; JPO;	
ļ l			DERWENT;	
			IBM TDB	
_	1433	709/229.ccls.	USPĀT;	2003/09/04
			US-PGPUB;	09:15
,	1		EPO; JPO;	ļ
		*	DERWENT;	
		}	IBM_TDB	
, -	610	709/217.ccls. and @pd<20010101	USPAT;	2003/09/04
i			US-PGPUB;	10:02
			EPO; JPO;	"
			DERWENT;	
			IBM_TDB	2002/00/04
, -	294	709/217.ccls. and @pd<20010101 and searc\$	USPAT;	2003/09/04
i			US-PGPUB;	10:02
			EPO; JPO; DERWENT;	
	•		IBM TDB	
	9	709/217.ccls. and @pd<20010101 and searc\$	USPAT;	2003/09/04
	9	and metadata	US-PGPUB;	10:08
i		and mecadata	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	117	index\$ and search\$ and gather and data	USPAT;	2003/09/04
	,	and repository and locations and	US-PGPUB;	11:20
		@pd<20020101	EPO; JPO;	
i l		-	DERWENT;	
			IBM_TDB	
	2	("5675785").PN.	USPAT;	2003/09/04
			US-PGPUB;	13:03
			EPO; JPO;	
			DERWENT;	
	_	, ,, , , , , , , , , , , , , , , , , , ,	IBM_TDB	2002/00/04
-	0	·· · · · · · · · · ·	USPAT;	2003/09/04
		(search and index) near content	US-PGPUB;	13:06
			EPO; JPO;	
			DERWENT;	
1	21	trob add nobote and and 20020101	IBM_TDB USPAT;	2003/09/04
-	31	web adj robot\$ and @pd<20020101	US-PGPUB;	15:00
			EPO; JPO;	13.00
			DERWENT;	
			IBM TDB	
_	18960	("web crawler" "spider" "web robot") and	USPAT;	2003/09/04
	10200	(web clawler spider web lobot) and @pd<20020101	US-PGPUB;	15:01
		GP4 (20020101	EPO; JPO;	
1			DERWENT;	
) I			IBM TDB	1

Search History 8/19/04 4:12:57 PM Page 1

_	0	("web crawler" "spider" "web robot") and	USPAT;	2003/09/04
		<pre>@pd<20020101 and index\$ and search\$ and</pre>	US-PGPUB;	15:02
-2-		data adj (base or repository) and gather	EPO; JPO;	
		adj indexable adj metadata	DERWENT;	
	33	("web crawler" "spider" "web robot") and	<pre>IBM_TDB USPAT;</pre>	2003/09/08
-	33	epd<20020101 and index\$ and search\$ and	US-PGPUB;	16:58
		data adj (base or repository)	EPO; JPO;	16:20
Ī		data adj (base of repository)	DERWENT;	
			IBM TDB	
_	1091	koster.in.	USPAT;	2003/09/04
	1031	NOSCOL.III.	US-PGPUB;	16:55
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	961	koster.in. and @pd<20020101	USPAT;	2003/09/05
		_	US-PGPUB;	10:06
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	koster.in. and @pd<20020101 and martijn	USPĀT;	2003/09/04
			US-PGPUB;	16:57
			EPO; JPO;	
		, and the second	DERWENT;	
	_	1, , , , , , , , , , , , , , , , , , ,	IBM_TDB	0000/00/5
-	0	koster.in. and @pd<20020101 and crawler	USPAT;	2003/09/04
			US-PGPUB;	16:57
	1		EPO; JPO;	
	1		DERWENT;	
<u> </u>	14	Bobby and @pd<20020101 and verif\$ and	IBM_TDB USPAT;	2003/09/05
	14	cast	US-PGPUB;	10:12
		Cast	EPO; JPO;	10.12
	1		DERWENT;	
			IBM TDB	
-	99	Bobby and @pd<20020101 and verif\$	USPAT;	2003/09/05
			US-PGPUB;	10:12
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
_	0	4	USPAT;	2003/09/05
		@pd<20020101	US-PGPUB;	10:14
	1		EPO; JPO;	
	1		DERWENT;	
_	1	mery near website and setting and	IBM_TDB USPAT;	2003/09/05
	*	query near website and settin\$ and epd<20020101	US-PGPUB;	10:14
	1	Chargosotot	EPO; JPO;	10.11
	1		DERWENT;	
	1		IBM TDB	
_	0	reading adj dynamic adj data and web	USPAT;	2003/09/05
	1		US-PGPUB;	10:15
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
_	869	dynamic adj data and web	USPAT;	2003/09/05
			US-PGPUB;	10:15
			EPO; JPO;	
			DERWENT;	X
_	175	dunamia add data and such and such	IBM_TDB USPAT;	2003/09/05
_	475	dynamic adj data and web and quer\$	US-PGPUB;	10:16
			EPO; JPO;	10.10
			DERWENT;	
			IBM TDB	
_	104	dynamic adj data and web and quer\$ and	USPAT;	2003/09/05
		@pd<20020101 and config\$	US-PGPUB;	10:16
		j .	EPO; JPO;	
			DERWENT;	
	L		IBM TDB	

	127	dynamic adj data and web and quer\$ and @pd<20020101	USPAT; US-PGPUB;	2003/09/05
			EPO; JPO; DERWENT; IBM TDB	
-	67	dynamic adj data and web and quer\$ and @pd<20010101	USPAT; US-PGPUB;	2003/09/05 10:30
			EPO; JPO; DERWENT;	
-	875	web and @pd<20010101 and password and	IBM_TDB USPAT;	2003/09/05
		confi\$ and access	US-PGPUB; EPO; JPO;	10:47
	15	usb and And 20010101 and nagguard and	DERWENT; IBM_TDB USPAT;	2003/09/05
	15	web and @pd<20010101 and password and confi\$ and access and robot	US-PGPUB; EPO; JPO;	10:31
			DERWENT; IBM TDB	
-	8	web and @pd<20010101 and password and confi\$ and access and spider	USPAT; US-PGPUB;	2003/09/05 10:47
			EPO; JPO; DERWENT;	
-	0	web adj page near verif\$ and pars\$ and @pd<2001010	IBM_TDB USPAT; US-PGPUB;	2003/09/05 11:16
			EPO; JPO; DERWENT;	
_	11	web adj page near verif\$ and pars\$	IBM_TDB USPAT;	2003/09/05
			US-PGPUB; EPO; JPO; DERWENT;	11:16
_	2	web adj page near verif\$ and pars\$ and	IBM_TDB USPAT;	2003/09/05
		@pd<20010101	US-PGPUB; EPO; JPO;	11:23
	41	verif\$ adj web and @pd<20010101	DERWENT; IBM_TDB USPAT;	2003/09/05
	4.1	verily adj web and epu-20010101	US-PGPUB; EPO; JPO;	11:23
			DERWENT; IBM_TDB	
-	7	parsing adj web adj page and @pd<20010101	USPAT; US-PGPUB;	2003/09/05 15:28
			EPO; JPO; DERWENT; IBM TDB	
-	317	determin\$ adj format and content and @pd<20010101	USPAT; US-PGPUB;	2003/09/05 15:29
			EPO; JPO; DERWENT;	
_	5	determin\$ adj format and access adj content and @pd<20010101	IBM_TDB USPAT; US-PGPUB;	2003/09/05 15:30
		The state of the s	EPO; JPO; DERWENT;	
_	0	,	IBM_TDB USPAT;	2003/09/05
		@pd<20010101	US-PGPUB; EPO; JPO; DERWENT;	15:30
_	0	web and content near \parser and	IBM_TDB USPAT;	2003/09/05
		@pd<20010101	US-PGPUB; EPO; JPO;	15:30
			DERWENT; IBM TDB	

_	25	web and content near parse\$ and @pd<20010101	USPAT; US-PGPUB;	2003/09/05 15:37
			EPO; JPO; DERWENT; IBM TDB	
-	1263	content near (parse\$ or format or access\$) and @pd<20010101 and determin\$	USPAT; US-PGPUB;	2003/09/05
		access;) and eputzootofor and determing	EPO; JPO; DERWENT;	15:57
			IBM_TDB	
_	511	content adj (parse\$ or format or access\$) and @pd<20010101 and determin\$	USPAT; US-PGPUB;	2003/09/05 15:38
			EPO; JPO; DERWENT; IBM TDB	
-	9	content adj (parse\$ or format or access\$) and @pd<20010101 and determin\$ and	USPAT; US-PGPUB;	2003/09/05
		parsers	EPO; JPO;	13.39
	1		DERWENT;	
-	104		USPĀT;	2003/09/08
		adj format	US-PGPUB; EPO; JPO;	14:40
			DERWENT; IBM TDB	
-	6	web adj page and content and determin\$	USPAT;	2003/09/05
		adj format and @pd<20010101	US-PGPUB; EPO; JPO;	15:39
			DERWENT;	
	59	web adj page and content and determin\$	IBM_TDB USPAT;	2003/09/08
		adj format and media	US-PGPUB; EPO; JPO;	14:41
		•	DERWENT;	
_	8	 Web adj page and content and determin\$	IBM_TDB USPAT;	2003/09/08
		adj format and media and @pd<20020101	US-PGPUB; EPO; JPO;	14:42
			DERWENT;	
_	1	pars\$ adj media and @pd<20020101 and web	IBM_TDB USPAT;	2003/09/08
		and format	US-PGPUB; EPO; JPO;	14:43
			DERWENT;	
_	1	pars\$ adj media and @pd<20020101 and web	IBM_TDB USPAT;	2003/09/08
		and format and file	US-PGPUB;	14:43
			EPO; JPO; DERWENT;	
_	8	embedded adj file and ("multi-media" or	IBM_TDB USPAT;	2003/09/08
		"multi media") and @pd<20020101	US-PGPUB;	14:46
			EPO; JPO; DERWENT;	
_	19	embedded adj file and ("multi-media" or	IBM_TDB USPAT;	2003/09/08
	+ -	"multi media")	US-PGPUB;	14:44
			EPO; JPO; DERWENT;	
	7	web adj robot and media and video and	IBM_TDB	2003/09/09
	'	audio and graph\$	USPAT; US-PGPUB;	2003/09/08 14:46
			EPO; JPO; DERWENT;	
	1	web add robot and modic and colder and	IBM_TDB	2002/00/00
	1	web adj robot and media and video and audio and graph\$ and @pd<20020101	USPAT; US-PGPUB;	2003/09/08 14:57
			EPO; JPO; DERWENT;	
			IBM TDB	

] -	5	("meta data" or metadata) and multimedia	USPAT;	2003/09/08
		adj format and pars\$ and content	US-PGPUB;	14:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	125	multimedia adj format and @pd<20020101	USPAT;	2003/09/08
			US-PGPUB;	15:55
į			EPO; JPO;	
			DERWENT;	}
			IBM_TDB	1
-	125	multimedia adj format and @pd<20020101	USPAT;	2003/09/08
			US-PGPUB;	15:57
			EPO; JPO;	
ì			DERWENT;	
	_		IBM_TDB	
_	6	(the second and second of the second and	USPAT;	2003/09/08
		format) same (search or index or pars\$)	US-PGPUB;	16:00
		and @pd<20020101	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	6	/	USPAT;	2003/09/08
		format or multi near media adj format)	US-PGPUB;	16:01
		same (search or index or pars\$) and	EPO; JPO;	
		@pd<20020101	DERWENT;	
			IBM_TDB	
-	0	I -	USPAT;	2003/09/08
-		or media) adj format and @pd<20020101	US-PGPUB;	16:04
			EPO; JPO;	
		*	DERWENT;	
			IBM_TDB	
_	0	L	USPAT;	2003/09/08
		@pd<20020101	US-PGPUB;	16:04
			EPO; JPO;	
			DERWENT;	
	4.5		IBM_TDB	//
-	45	pars\$ adj format and @pd<20020101	USPAT;	2003/09/08
			US-PGPUB;	16:04
			EPO; JPO;	
			DERWENT;	
	1.6		IBM_TDB	0000/00/00
-	16		USPAT;	2003/09/08
		media	US-PGPUB;	16:38
}			EPO; JPO;	
ŀ			DERWENT;	
			IBM_TDB	0000/00/00
-	0	[USPAT;	2003/09/08
1		robot"	US-PGPUB;	16:39
1			EPO; JPO;	
1			DERWENT;	
l _	0	index and nagguard add notes and "	IBM_TDB	2003/00/09
		index and password adj protec\$ and "web robot" and @pd<20020101	USPAT;	2003/09/08 16:42
		topoc and eparaouzoror	US-PGPUB;	10.74
			EPO; JPO;	
			DERWENT;	
l _	233	index and password adj protec\$ and	IBM_TDB USPAT;	2003/09/08
l	233	Index and password adj protect and @pd<20020101	US-PGPUB;	16:42
	.	- chargosotot	· ·	10.72
]		EPO; JPO; DERWENT;	
_	17	index same password adj protec\$ and	<pre>IBM_TDB USPAT;</pre>	2003/09/08
		dpd<20020101	US-PGPUB;	16:44
		- cps (20020101	EPO; JPO;	
				ĺ
			DERWENT;	
_	1	index near password adj protec\$ and	IBM_TDB USPAT;	2003/09/08
	 	@pd<20020101	US-PGPUB;	16:42
		- 5ps -20020201	EPO; JPO;	
			DERWENT;	
	L		IBM TDB	

S58	
DERWENT; IBM TDB USPAT; 1003/09/08 16:45 2003/09/08 16:45 2003/09/08 16:45 2003/09/08 16:45 2003/09/08 16:45 2003/09/08 16:45 2003/09/08 16:45 2003/09/08 16:45 2003/09/08	
111 web near page and password adj protects and eghd<20020101 and (index search categors) SPAT; SPGPUB; EPO, JPO; DERWENT; IBM TDB USPAT; O03/09/08 16:45 EPO; JPO; DERWENT; IBM TDB USPAT; O03/09/08 ODERWENT; IBM TDB USPAT; ODERWENT; IBM TDB ODERWENT	
and @pd<20020101 and (index search categors) 92 web near page and password adj protects and @pd<20020101 and (index search) 95 web near page and password adj protects and @pd<20020101 and (index search) 96 web near page and password adj protects and @pd<20020101 and (index search categors) and "web robot" 97 berwent; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
Categor\$) DERWENT; IBM TDB USPAT; USPA	
## DERWENT; IBM TDB USPAT; USPOPUB; EPO; JPO; DERWENT; and @pd<20020101 and (index search) ## DB USPAT; USPOPUB; EPO; JPO; DERWENT; IBM TDB USPAT; IBM TDB	
Second S	į
92 web near page and password adj protect\$ and @pd<20020101 and (index search) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DE	
and @pd<20020101 and (index search)	Í
Decomposition Decompositio	
-	
0 web near page and password adj protect\$ USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; U	- 1
and @pd<20020101 and (index search categors) and "web robot" Sepo; JPO; DERWENT; IBM_TDB categors) and "spider" US-PGPUB; EPO; JPO; DERWENT; IBM_TDB categors) and "spider" US-PGPUB; EPO; JPO; DERWENT; IBM_TDB categors) and spider US-PGPUB; EPO; JPO; DERWENT; IBM_TDB categors) and setting US-PGPUB; EPO; JPO; DERWENT; IBM_TDB categors) and setting and index US-PGPUB; EPO; JPO; DERWENT; IBM_TDB configurs near password and access and index and @pd<20020101 and provided adj password categors) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB categors US-PGPUB; E	
categor\$) and "web robot"	
S	İ
S	
S web near page and password adj protect\$ and @pd<20020101 and (index search categors) and "spider" SPO; JPO; DERWENT; IBM TDB uspAT; 2003/09/08 16:49 16:49 16:51 16:49 16:51 16:49 16:51 16:51 16:51 16:49 16:51 16:	-
and @pd<20020101 and (index search categors) and "spider" 61 web near page and password adj protects and @pd<20020101 and (index search categors) and setting 7 28 web near page and password adj protects and @pd<20020101 and (index search categors) and setting 8 web near page and password adj protects and @pd<20020101 and (index search categors) and setting and index 9 2003/09/08 16:49 16:49 EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; JP	1
Categor\$) and "spider"	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	
TIBM_TDB USPAT; 2003/09/08 16:51 and @pd<20020101 and (index search categor\$) and setting and index search sindex and @pd<20020101 search	1
Web near page and password adj protect\$ and @pd<20020101 and (index search categor\$) and setting	
categor\$) and setting EPO; JPO; DERWENT; IBM_TDB USPAT; 2003/09/08 16:51 categor\$) and setting and index EPO; JPO; DERWENT; IBM_TDB USPAT; 2003/09/08 16:51 categor\$) and setting and index EPO; JPO; DERWENT; IBM_TDB USPAT; 2003/09/08 16:53 configur\$ near password and access and index and @pd<20020101 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; 2003/09/08 16:54 epd<20020101 and provided adj password USPAT; 2003/09/08 16:54 epd<20020101 and provid\$ adj password USPAT; IBM_TDB USPAT; IBM_	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	
TEM_TDB USPAT; U	- 1
web near page and password adj protect\$ and @pd<20020101 and (index search categor\$) and setting and index configur\$ near password and access and index and @pd<20020101 configur\$ near password and access and index and @pd<20020101 didex and @pd<20020101 epo(<00020101 and provided adj password same access and content and index and index and epd<20020101 and provid\$ adj password same access and index and password same access and index and password same access and index and password same access and index and password same access and index and password same access and index adj password same access and index access and adj password same access and adj password same access and adj password same access and adj password same access and access	İ
and @pd<20020101 and (index search categor\$) and setting and index 16 configur\$ near password and access and index and @pd<20020101 17 configur\$ near password and access and index and @pd<20020101 18 configur\$ near password and access and index and @pd<20020101 19 configur\$ near password and access and uspAT; us-pgpuB; EPO; JPO; DERWENT; IBM_TDB uspAT; us-pgpuB; EPO; JPO; DERWENT; IBM_TDB uspAT; us-pgpuB; EPO; JPO; DERWENT; IBM_TDB uspAT; us-pgpuB; EPO; JPO; DERWENT; IBM_TDB uspAT; us-pgpuB; ame access and index uspAT; us-pgpuB; EPO; JPO; DERWENT; IBM_TDB uspAT; uspAT; us-pgpuB; EPO; JPO; DERWENT; us-pgpuB; EPO; JPO; DERWENT; us-pgpuB; EPO; JPO; uspAT; us-pgpuB; EPO; JPO; us-pgpuB; EPO; JPO; uspAT; us-pgpuB; EPO; JPO; uspAT; us-pgpuB; EPO; JPO; uspAT; us-pgpuB; EPO; JPO; uspAT; us-pgpuB; EPO; JPO; us-pgpuB; EPO; JPO; uspAT; us-pgpuB; EPO; JPO; uspAT; us-pgpuB; EPO; JPO; uspAT; us-pgpuB; EPO; JPO; uspAT; us-pgpuB; EPO; JPO; us-pgpuB; us-pg	
categor\$) and setting and index EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; U	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB	- 1
The configurs near password and access and index and @pd<20020101 Configurs near password and access and uspat; us-pgpub; EPO; JPO; DERWENT; IBM_TDB uspat; EPO; JPO; DERWENT; IBM_TDB uspat; Us-pgpub; EPO; JPO; DERWENT; IBM_TDB uspat; EPO; JPO; DERWENT; IBM_TDB uspat; EPO; JPO; DERWENT; IBM_TDB uspat; EPO; JPO; DERWENT; IBM_TDB uspat;	
The same access and index and epd<20020101 and provided adj password adj password adj password same access and content and index and epd<20020101 and provided adj password same access and content and index adj password same access and access access access access access access access and access ac	
index and @pd<20020101 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; Same access and index US-PGPUB; EPO; JPO; Same access and index US-PGPUB; EPO; JPO;	
- 0 @pd<20020101 and provided adj password same access and content and index US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; Same access and index USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	
O @pd<20020101 and provided adj password same access and content and index B @pd<20020101 and provid\$ adj password same access and index USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; Same access and index US-PGPUB; EPO; JPO;	i
same access and content and index Same access and content and index Same access and content and index US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; Same access and index US-PGPUB; EPO; JPO; 16:54 2003/09/08 16:55	İ
EPO; JPO; DERWENT; IBM_TDB USPAT; Same access and index US-PGPUB; EPO; JPO;	
DERWENT; IBM_TDB USPAT; Same access and index US-PGPUB; EPO; JPO;	
- 8 @pd<20020101 and provid\$ adj password USPAT; 2003/09/08 same access and index US-PGPUB; EPO; JPO;	- 1
- 8 @pd<20020101 and provid\$ adj password USPAT; 2003/09/08 same access and index US-PGPUB; EPO; JPO;	
same access and index US-PGPUB; 16:55 EPO; JPO;	
EPO; JPO;	
	l
DERWENT;	
IBM_TDB	
6 @pd<20020101 and provid\$ adj password USPAT; 2003/09/08	
same access and content and index US-PGPUB; 16:55	
EPO; JPO; DERWENT;	
IBM TDB	
- 16 index\$ and search and password and USPAT; 2003/09/08	
"spider" and @pd<20020101 US-PGPUB; 16:59	
EPO; JPO;	1
DERWENT;	
IBM_TDB	
- 37 index\$ and search and "spider" and USPAT; 2003/09/08	
@pd<20020101 and (login or secure) US-PGPUB; 17:02	
EPO; JPO;	
DERWENT;	1
- 13 index\$ and search and "spider" and USPAT; 2003/09/08	İ
@pd<20020101 and (login) US-PGPUB; 17:17	
EPO; JPO;	
DERWENT;	
IBM TDB	

_	158	setting near password and access and	USPAT;	2003/09/08
	1	@pd<20020101	US-PGPUB;	17:19
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1109350		USPAT;	2003/09/08
	1	access and @pd<20020101	US-PGPUB;	17:20
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	317	(setting or provid\$) near password and	USPAT;	2003/09/08
		access and @pd<20020101	US-PGPUB;	17:20
			EPO; JPO;	
			DERWENT;	
	1.5		IBM_TDB	
_	167	(provid\$) near password and access and	USPAT;	2003/09/08
		@pd<20020101	US-PGPUB;	17:20
		·	EPO; JPO;	
			DERWENT;	
		/	IBM_TDB	
-	99		USPAT;	2003/09/08
		<pre>@pd<20020101 and config\$</pre>	US-PGPUB;	17:20
			EPO; JPO;	1
			DERWENT;	
_	1	(provide) noon confide noon	IBM_TDB USPAT;	2002/00/00
	1	1 (Lastania), assume the manufacture of the control		2003/09/08
		access and @pd<20020101	US-PGPUB;	17:21
	•		EPO; JPO;	
			DERWENT;	
_	0	"provided password to access"	IBM_TDB USPAT;	2002/00/00
	ľ	provided password to access	US-PGPUB;	2003/09/08 17:32
			EPO; JPO;	17:32
			DERWENT;	
			IBM TDB	
_	1005	address and password and web near page	USPAT;	2003/09/08
	1003	and Opd<20020101	US-PGPUB;	17:32
		ana cpa (20020101	EPO; JPO;	17.32
			DERWENT;	
	-		IBM TDB	
-	241	address and password and web near page	USPAT;	2003/09/08
		and @pd<20020101 and access and content	US-PGPUB;	17:32
		and index	EPO; JPO;	
ł			DERWENT;	
			IBM TDB	!
-	49	address and password and web near page	USPĀT;	2003/09/08
		and @pd<20020101 and access and content	US-PGPUB;	17:34
		and index and configu\$ adj file	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	3	address and password and web near page	USPĀT;	2003/09/08
		near content and @pd<20020101 and access	US-PGPUB;	17:34
		and index and configu\$ adj file	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	50	address and password and web near page	USPAT;	2003/09/08
		and @pd<20020101 and access and index and	US-PGPUB;	17:35
		configu\$ adj file	EPO; JPO;	
			DERWENT;	
	2.4		IBM_TDB	0000/05/55
-	34	address same password and web near page	USPAT;	2003/09/08
		and @pd<20020101 and access and index and	US-PGPUB;	17:35
		configu\$ adj file	EPO; JPO;	
			DERWENT;	
	2100	707/101-	IBM_TDB	0000/00/00
-	3190	707/10.ccls.	USPAT;	2003/09/09
			US-PGPUB;	09:54
ĺ			EPO; JPO;	
			DERWENT; IBM TDB	

_	2	("6263313").PN.	USPAT; US-PGPUB; EPO; JPO;	2003/09/09
i			DERWENT;	
			IBM TDB	